

Ordinance No. G-94-10

**AN ORDINANCE REQUIRING UNDERGROUND
ELECTRICAL LINES TO BE MARKED**

WHEREAS, the Town Council for the Town of Georgetown, in the interest of public safety, has deemed it is necessary that the Sewer and Water Departments for the Town of Georgetown should be notified of the location of underground utility lines or conduits;

NOW, THEREFORE, BE IT ORDAINED BY THE TOWN COUNCIL OF THE TOWN OF GEORGETOWN, INDIANA AS FOLLOWS:

1. That each and every landowner within the Town of Georgetown, utility, public or otherwise, or any other entity responsible for the installation of underground electrical, cable, telephone or utility lines or conduits shall be required to install metallic survey tape in the ground a distance of at least two (2) feet from the underground lines or conduits and that said survey tape shall be installed underground at least twelve (12) inches from the surface.

2. No underground electrical, cable, telephone or utility line or conduit shall be installed, laid or placed directly above a sewer line or water line of the Town of Georgetown.

3. This Ordinance shall apply to all parcels of real property upon which an underground electrical, cable, telephone or utility line or conduit is laid, placed or installed on or after the day on which this Ordinance is adopted.

4. That for each day any person or entity shall be in violation of this Ordinance after said electrical, cable, telephone or utility line or conduit has been installed, laid or placed said person shall be fined an amount not less than fifty dollars (\$50.00) per day or not more than five hundred dollars (\$500.00) per day.


Adopted by the Town Council of the Town of Georgetown on this


7th day of November, 1994.

TOWN COUNCIL OF THE TOWN OF
GEORGETOWN

Gary L. Smith
Gary Smith, President


Tim Leatherland
Tim Leatherland, Vice-President


Kenneth C. Frederick


Janet Timberlake

Shawn Worden

ATTEST:


Linda Sanders,
Town Clerk/Treasurer

mbgc:\mbg\geotown\sewer\utilnot.ord